

# **ASSA ABLOY**

# FRAME PROFILES

# MDF Fire Rated Frames

### **DESCRIPTION**


MDF Fire Door Frames suitable for use with all Pyropanel 48mm nom. Fire Door leaves for applications requiring up to 1 hour of Fire Resistance. Frames come with a pre installed paintable intumescent hot smoke seal.

### **APPLICATIONS**


Ideal for most applications that require a certified fire door set with a MDF rated door frame, especially in residential complexes as unit entry doors, hospitals, schools, public buildings, etc., and applications that may experience high levels of airborne salt water.

### **FEATURES**


- Jamb dimensions Min 101 mm x 40mm
- Door stop 50 mm wide x 25mm deep (minimum) (custom sizes available)
- Integrated intumescent hot smoke seal
- Optional Euroseal® rebated door stop
- Manufactured from Laminated MDF
- Removeable door stop covers predrilled frame fixing holes
- No patching of fixing holes save time and mess on s



Typical frame profile - note hidden frame fixings



Alternative frame profile - single rebate and hidden fixings



Euroseal frame profile - note hidden frame fixings

### **HOW TO SPECIFY**

"Door frame to be a Pyropanel MDF Fire Rated Door Frame, fully certified and approved for use with Pyropanel 48mm nom. Fire Rated doors up to 1hr FRL, with integrated hot smoke seal and optional Euroseal rebate\* ".

\* denotes example - delete, change or specify as required

### **Pyropanel Developments Pty Ltd**

Unit 1, 97 Lewis Rd, Wantirna South, Vic 3152 Ph: **(03) 9837 8500** Fax: **(03)** 9837 8550

Email: **sales@pyropanel.com.au**Web: **www.pyropanel.com.au** 

# Distributed by:

Nexdor Systems
Ph: (03) 5450 3457

Email: estimating@nexdorsystems.com.au Web: www.nexdorsystems.com.au



Pyropanel Developments has a policy of continuous improvement and reserves the right to change methods and specifications without notice. Note: The Tech Sheet is an uncontrolled document, If printed please refer to the Tech-Sheet on the website to check if this document is valid.